

Family Support Performance Measures

The six benchmark areas captured through these performance measures are:

- Improved maternal and newborn health;
- Prevention of child injuries, child abuse, neglect, or maltreatment, and reduction of emergency department visits;
- Improvement in school readiness and achievement;
- Reduction in crime or domestic violence;
- Improvements in family economic self-sufficiency; and
- Improvements in the coordination and referrals for other community resources and supports.

1. **Preterm Birth** – Percent of infants (among mothers who enrolled in home visiting prenatally before 37 weeks) who are born preterm following program enrollment.

Collected: Collected via the demographics form

2. **Breastfeeding** – percent of infants (among mothers who enrolled in home visiting prenatally) who were breastfed any amount at 6 months of age.

Collected: Caregiver Measure

Only if Caregiver Enrolled Prenatally

3 Months Post Enrollment - Starting July 1st, 2019

6 Months Post Enrollment - Current and Continuing July 1st, 2019

How is medical issue defined?

Infected with human immunodeficiency virus (HIV), Taking antiretroviral medications, have untreated, active tuberculosis, infected with human T-cell lymphotropic virus type I or type II, Using or is dependent upon an illicit drug, taking prescribed cancer chemotherapy agents, such as antimetabolites that interfere with DNA replication and cell division, Undergoing radiation therapies

3. **Depression Screening** – Percent of primary caregivers enrolled in home visiting who are screened for depression using a validated tool within 3 months of enrollment (for those not enrolled prenatally) or within 3 months of delivery (for those enrolled prenatally).

Collected: Caregiver Measure

If Enrolled Prenatally

3 Months Post Birth

*If **Not** Enrolled Prenatally*

3 Months Post Enrollment

What Screening Tools Can I Use?

Current

Edinburgh Postnatal Depression Scale (EPDS)

Patient Health Questionnaire-9 (PHQ-9)

Starting July 1st, 2019

Any of the tools above or below

Center for Epidemiologic Studies Depression Scale (CES-D)

Center for Epidemiologic Studies Depression Scale Revised (CESD-R)

Patient Health Questionnaire-2 (PHQ-2)

Brief Symptom Inventory (BSI)

Brief Depression Inventory-II (BDI-II)

4. **Well Child Visit** – Percent of children enrolled in home visiting who received the last recommended visit based on the American Academy of Pediatrics (AAP) schedule.

Collected: **Child Measure**

Start: 3 Months Post Birth

6, 9, 12, 15, 18, 21, 24*, 27, 30, 33 Months Post Birth

On the 3rd, 4th and 5th birthdays Post Birth

**NFP ends at 24 months post birth*

5. **Postpartum Care** – Percent of mothers enrolled in home visiting prenatally or within 30 days after delivery who received a postpartum visit with a healthcare provider within 8 weeks (56 days) of delivery

Collected: **Caregiver Measure**

If Enrolled Prenatally

8 Weeks Post Birth

If Enrolled within 30 days of Giving Birth

8 Weeks Post Birth

6. **Tobacco Cessation Referrals** – Percent of primary caregivers enrolled in home visiting who reported using tobacco or cigarettes at enrollment and were referred to tobacco cessation counseling or services within 3 months of enrollment.

Collected: **Caregiver Measure**

Entry

3 Months Post Enrollment (Non NFP)

36 Weeks Gestation*

12 Months Post Birth*

**NFP Only*

How is other forms of nicotine defined?

Combustibles (Cigars, Pipes, Hookahs, Bidis), Non-Combustibles (Chew, Dip, Snuff, Snus, Dissolvable), Electronic Nicotine Delivery Systems (ENDS)

7. **Safe Sleep** – Percent of infants enrolled in home visiting that are always placed to sleep on their backs, without bed-sharing or soft bedding.

Collected: **Child Measure**

Non-NFP

3 Months Post Birth

6 Months Post Birth

9 Months Post Birth

12 Months Post Birth

NFP

0 Months Post Birth

6 Months Post Birth

12 Months Post Birth

8. **Child Injury** – Rate of injury-related visits to the Emergency Department (ED) since enrollment among children enrolled in home visiting.

Collected: **Child Measure**

Non-NFP

Start: 3 Months Post Enrollment

6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36 Months

Every 6 Months After 36 Months (3 Years)

42, 48, 54, 60, 66, 72, 78, 84 Months

NFP

0, 6, 12, 18, and 24 Months Post Enrollment

How is injury defined?

Motor vehicle, Suffocation, Drowning, Poisoning, Fire/burns, Falls, Sports and Recreation, and intentional injuries, such as Child Maltreatment.

9. **Child Maltreatment** – Percent of children enrolled in home visiting with at least 1 investigated case of maltreatment following enrollment within the reporting period

Collected: **Child Measure**

Collected via administrative data from Office of Children, Youth and Families (OCYF)

10. **Parent-Child Interaction** – Percent of primary caregivers enrolled in home visiting who receive an observation of caregiver-child interaction by the home visitor using a validated tool.

Collected: **Child Measure**

Non-NFP

Collected on the child's 1st, 2nd, 3rd, 4th, 5th, and 6th Birthdays Post Birth

NFP

3, 10, 17, and 23 Months Post Birth

What Screening Tools Can I Use?

Current

- Dyadic Assessment of Naturalistic Caregiver-Child Experiences (DANCE)
- Home Observation for Measurement of the Environment (HOME) – Infant/Toddler Inventory, 3rd Ed.
- Parenting Interactions with Children: Checklist of Observations Linked to Outcomes (PICCOLO)
- Keys to Interactive Parenting Scale (KIPS)
- CHEEERS-Based Validated Tool

Starting July 1st, 2019

Any of the tools above or below

- Dads' Parenting Interactions with Children: Checklist of Observations Linked to Outcomes (PICCOLO-D)
- Nursing Child Assessment Teaching Scale (NCAST)
- Child Well-Being Scales

11. **Early Language and Literacy Activities** – Percent of children enrolled in home visiting with a family member who reported that during a typical week s/he read, told stories, and/or sang songs with their child daily, every day.

Collected: **Child Measure**

Non-NFP

Start: 3 Months Post Enrollment

6, 9, 12, 15, 18, 21, 24, 27, 30, 33, 36 Months Post Enrollment

Every 6 Months After 36 Months (3 Years)

42, 48, 54, 60, 66, 72, 78, 84 Months

NFP

0, 6, 12, 18, and 24 Months Post Enrollment

12. **Developmental Screening** – Percent of children enrolled in home visiting with a timely screen for developmental delays using a validated parent-completed tool.

Collected: **Child Measure**

Non-NFP

9, 18, and 30 Months Post Birth

NFP

9 and 18 Months Post Birth

13. **Behavioral Concerns** – Percent of home visits where primary caregivers were asked if they have any concerns regarding their child's development, behavior, or learning.

Collected: **Caregiver Measure**

Every home visit is documented (prenatal and postpartum)

Prenatal Home Visits

Not required to ask M13 Question

Postpartum Home Visits

Required to ask M13 Question

14. **Intimate partner Violence Screening Indicator** – Percent of primary caregivers enrolled in home visiting who are screened for intimate partner violence (IPV) within 6 months of enrollment using a validated tool.

Collected: **Caregiver Measure**

6 Months Post Enrollment

What Screening Tools Can I Use?

Current Tools

- Harassment in Abusive Relationships: A Self-Report Scale (HARASS)
- Hurt, Insulted, Threatened with Harm and Screamed (HITS)
- Profile of Psychological Abuse (PPA)
- Women's Experience with Battering (WEB)

Starting July 1st, 2019

Any of the tools above or below

- Severity of Violence Against Women Scale (SVAWS)
- Abuse Behavior Inventory (ABI)
- Abuse Assessment Screen (AAS)
- Humiliation, Afraid, Rape, Kick, Child (HARK-C)
- Ongoing Abuse Screening (OAS)
- Universal Violence Prevention Screening Protocol-Adapted
- Domestic Violence Evaluation (DOVE)
- Partner Violence Screen (PVS)
- The Relationship Chart

If the caregiver is not in a relationship do I screen?

Yes, all Caregivers Enrolled in Evidence-Based Home Visiting Must Be Screened, No Matter Their Current Relationship Status.

15. **Primary Caregiver Education** – Percent of caregivers who enrolled in home visiting without a high school degree or equivalent who subsequently enrolled in, maintained continuous enrollment in, or completed high school or equivalent during their participation in home visiting.

Collected: **Caregiver Measure**

Collected via demographics, at entry, update, or at exit. Only collected if caregiver does not already have a high school diploma, equivalent such as a GED, or a higher degree.

16. **Continuity of Insurance Coverage** – Percent of primary caregivers enrolled in home visiting who had continuous health insurance for at least 6 consecutive months.

Collected: **Caregiver Measure**

Non-NFP

Start: 3 Months Post Enrollment

6, 9, 15, 18, 21, 24*, 27, 30, 33, 36 Months Post Enrollment

After 3 Years Post Enrollment

Every 6 Months

42, 48, 54, 60, 66, 72, 78, 84 Months Post Enrollment

NFP

Ends at 36 Months Post Enrollment (3 Years)

17. **Completed Depression Referrals** – Percent of primary caregivers referred to services for a positive screen for depression who receive one or more service contracts.

Collected: **Caregiver Measure**

Only Collected If Caregiver Screens Positive

If Enrolled Prenatally

6 Months Post Birth

If Not Enrolled Prenatally

6 Months Post Enrollment

If Caregiver Does Not Receive a Service They Need To Be Rescreened Until They:

1. No Longer Screen Positive
2. Receive a Service

18. **Completed Developmental Referrals** - Percent of children enrolled in home visiting with positive screens for developmental delays (measured using a validated tool) who receive services in a timely manner.

Collected: **Child Measure**

Only collected if Child Scores Below The Cutoff

12 Months Post Birth

21 Months Post Birth*

33 Months Post Birth

**NFP*

Ends at 21 Months Post Birth

19. **Intimate Partner Violence Referrals** – Percent of primary caregivers enrolled in home visiting with positive screens for IPV (measured using a validated tool) who receive referral information for IPV.

Collected: **Caregiver Measure**

Only if Caregiver Screens Positive for IPV

9 Months Post Enrollment